

200 mM HCl  
Methanol, 3 hr, RT




Figure 1





Figure 2

**Selectivity of Apoptolidin Toward Certain Tumor Cells,  
As Illustrated by the NCI-60 Cell Line Panel**



• 40 8100

105220-EE23T650




Figure 4

# A Simple Model for the Selective Cytotoxicity of F0F1 ATPase Inhibitors





Figure 5

# Oxamate Sensitizes Jurkat Cells to Apoptolidin

Jurkat planted at 40,000/well, killing with  
various drug combinations



Jurkat planted at 40,000/well, killing with  
various drug combinations





Figure 6

# Deoxyglucose Sensitizes Jurkat Cells to Apoptolidin

Jurkat planted at 40,000/well, killing with 2-deoxyglucose and apoptolidin



Jurkat planted at 40,000/well, killing with 2-deoxyglucose and apoptolidin




Figure 7

# Oxamate Enhances Sensitivity of LYas Cells to Apoptolidin

Killing of LYas cells for 7 hours, planted at  
1x10<sup>6</sup>/ml




Figure 8



# Oxamate Sensitization of Cells to Apoptolidin: A General Phenomenon





Figure 9

# Deoxyglucose Sensitization of Cells to Apoptoludin: A General Phenomenon



Cell Line

Figure 10




Figure 11